



**mitsuboshi BELTING
EUROPE GmbH**
Neuss, Germany

+49 (0) 2131 / 74094-0
info_de@mitsuboshi.com

www.mitsuboshi.de/en

Mitsuboshi Belting Mining Product Line-up

Power Transmission Belts for
Mining & Quarrying Machinery

Mitsuboshi Belting Mining and Quarrying Belts

Key Features




High Power Rating



High Durability



Shock Resistant



Flexibility



Weather Proof



Frequent Start-Stop

Mitsuboshi Belting heavy-duty power transmission belts will keep your mining and quarrying operations running at their best. Trusted by leading OEMs, Mitsuboshi Belting drive belts provide reliable power transmission for crushers, screens, conveyors, feeders and other critical processing equipment. Built for severe loads, abrasive environments, shock loading and continuous-duty applications, these high-end belts help reduce unplanned downtime, extend service life and help reduce overall maintenance costs.



Visit our Website!



You can find further information, catalogues and flyers about Mitsuboshi Belting products and our supplied industries at www.mitsuboshi.de/en

Need something
BUILT?



Check out our portfolio for **Construction** and **Heavy-Duty** applications!

Need something
BREEZY?



Check out our portfolio for **HVAC** applications!

Banded Belts

PRODUCT		CONSTRUCTION		KEY CHARACTERISTICS
	BANDED CLASSICAL V-BELT PROFILES: A, B, C, D	RUBBER	Natural Rubber / SBR	▶ Reliable ▶ High availability ▶ High power transmission ▶ Static conductive
		CORD	Polyester	
		FABRIC	Cotton	
	MAXSTAR POWER™ BLUE PLUS+ BANDED PROFILES: SPB, SPC*	RUBBER	Chloroprene Rubber	▶ Extreme durability ▶ Highest power rating ▶ Greater wear resistance ▶ Aramid cord reduces stretching ▶ Static conductive
		CORD	Aramid	
		FABRIC	Cotton / Polyester (Bare Back)	
	MULTI MAXSTAR WEDGE™ PROFILES: 3V, 5V, 8V	RUBBER	Chloroprene Rubber	▶ Reliable ▶ High availability ▶ High power transmission ▶ Static conductive
		CORD	Polyester	
		FABRIC	Cotton / Polyester	
	MULTI SUPER WEDGE II PROFILES: 5V, 8V	RUBBER	Chloroprene Rubber	▶ Extra heavy-duty ▶ Aramid cord reduces stretching ▶ Clutching cover ▶ High working and shock loads ▶ Static conductive
		CORD	Aramid	
		FABRIC	Cotton / Polyester (Bare Back)	


Timing Belts

PRODUCT		CONSTRUCTION		KEY CHARACTERISTICS
	GigaTorque™ GX AS PROFILES: G8M*, G14M	RUBBER	H-NBR	▶ Outstanding power transmission ▶ Carbon cord to reduce frequency of maintenance ▶ More compact design possible ▶ Enhanced noise reduction ▶ Enhanced meshing with pulley due to special fabric ▶ Static conductive
		CORD	Carbon Fibre	
		FABRIC	Special Nylon	

Wrapped Belts

PRODUCT		CONSTRUCTION		KEY CHARACTERISTICS
	Classical V-Belts PROFILES: K, Z, A, B, C, D, E	RUBBER	Natural Rubber / SBR	▶ Widely used ▶ Readily available ▶ Versatile ▶ Economical ▶ Convenient
		CORD	Polyester	
		FABRIC	Cotton	
	Classical V-Belts Red PROFILES: AA, BB, CC	RUBBER	NR	▶ Versatile ▶ Enhanced durability ▶ Oil and heat resistant ▶ Wear resistance ▶ Static conductive
		CORD	Polyester	
		FABRIC	Cotton	
	Classical V-Belts SuperGold PROFILES: A, B, C, D	RUBBER	Chloroprene Rubber	▶ Outstanding durability ▶ Greater horse power ▶ Wear resistance ▶ Aramid cord reduces stretching ▶ Static conductive
		CORD	Aramid	
		FABRIC	Cotton / Polyester	
	MAXSTAR POWER™ RED PROFILES: SPZ, SPA, SPB, SPC	RUBBER	Chloroprene Rubber	▶ Versatile ▶ Enhanced durability ▶ Oil and heat resistant ▶ Wear resistance ▶ Space saving
		CORD	Polyester	
		FABRIC	Cotton / Polyester	
	MAXSTAR POWER™ BLUE PLUS+ PROFILES: SPB*, SPC	RUBBER	Chloroprene Rubber	▶ Extreme durability ▶ Highest power rating ▶ Greater wear resistance ▶ Aramid cord reduces stretching ▶ Static conductive
		CORD	Aramid	
		FABRIC	Cotton / Polyester (Bare Back)	
	MAXSTAR WEDGE™ PROFILES: 3V, 5V, 8V	RUBBER	Chloroprene Rubber	▶ Widely used ▶ Readily available ▶ Versatile ▶ Economical ▶ Convenient
		CORD	Polyester	
		FABRIC	Cotton / Polyester	
	MAXSTAR POWER™ EP-X PROFILES: AX, AX, CX, SPZX, SPAX, SPBX, SPCX, 3VX, 5VX	RUBBER	EPDM	▶ Enhanced tension stability ▶ Reduced downtime ▶ Superior crack resistance ▶ Highly flexible ▶ Halogen free
		CORD	Polyester	
		FABRIC	Cotton	

* Currently under development



Offices & Manufacturing Locations

Japan

Kobe Head Office ●●

4-1-21 Hamazoe-dori, Nagata-ku, Kobe 653-0024
TEL +81-78-671-5071

Tokyo Head Office ●

2-3-4 Nihonbashi Chuo-ku, Tokyo 103-0027
TEL +81-3-5202-2500

Nagoya Plant ●●

1818 Oaza-Nishinoshima Komaki, Aichi 485-0077, Japan •
TEL +81-568-72-4121

Shikoku Plant ●

2893 Tsuda, Tsuda-machi Sanuki, Kagawa 769-2401, Japan
• TEL +81-879-42-3181

Shiga Plant ●

100-2 Terakubo, Makino-cho Takashima, Shiga 520-1834,
Japan • TEL +81-740-27-1171

Ayabe Production System Development Center ●

7-1 Shiroyama-cho Ayabe, Kyoto 623-0003, Japan
• TEL +81-773-43-3051

China

MBL Shanghai International Trading Co., Ltd. ●

No.369 Weining Road, Changning District, Shanghai
TEL +86-21-3257-3802

Suzhou Mitsuboshi Belting Co., Ltd. ●●

277 Liangang Road Suzhou New District Jiangsu 215129 •
TEL +86-512-6665-8880

MOI Tech Hong Kong Ltd. ●

Unit 3, 20/F., Kowloon Plaza, 485 Castle Peak Road,
Kowloon, Hong Kong • TEL +852-2403-5978

India

Mitsuboshi Belting - India Private Ltd. ●●

Supa Plant ●

Plot No J-241, Supa Parner Industrial Park MIDC,
Tal - Parner, District - Ahmednagar, Maharashtra 414 301 •
TEL +91 2488 661300

Mumbai Sales Office ●

Kamdhenu 23 West, 22nd Floor, office no.2201/2202
Near Fire Emergency station, TTC Industrial Area, MIDC,
Thane - Belapur Road, Koper Khairane, Navi Mumbai 400705
E-mail: mbind.customercare@mitsuboshi.com

Indonesia

PT. Mitsuboshi Belting Indonesia ●

Jl. Industri Raya Blok D No.4, Pasir Jaya
Jatuiwung, Kota Tangerang, 15135
TEL +62-21-590-2070

PT. Seiwa Indonesia ●

Jl. Lombok I, Blok M2-2, Kawasan Industri MM2100
Cikarang Barat, Bekasi 17520
TEL +62-21-898-0324

PT. Mitsuboshi Belting Sales Indonesia ●

Wisma 77 Tower 1 Lantai 2, Jl. Letnan Jenderal S. Parman,
RT/RW: 006/003, Kel. Slipi, Kec. Palmerah,
Kota Jakarta Barat 11410 • TEL +62-21-536-3033 • E-mail:
mbi.sales@mitsuboshi.com

South Korea

Mitsuboshi Belting Korea Co., Ltd. ●

93, Sejong-daero, Jung-gu, Seoul
TEL +82-70-7575-0391

Philippines

Mitsuboshi Overseas Headquarters Private Limited

Philippine Branch ●
23F Tower 6789 Ayala Avenue BEL-AIR, City of Makati,
Philippines

Singapore

Mitsuboshi Overseas Headquarters Private Ltd. ●

8 Cleantech Loop #07-65, Cleantech Three 637145
TEL +65-6265-3933 • E-mail: moh_sales@mitsuboshi.com

Thailand

Stars Technologies Industrial Ltd. ●●

Eastern Seaboard Industrial Estate 64/40 Moo 4,
Tambon Pluakdaeng, Amphur Pluakdaeng, Rayong 21140 •
TEL +66-38-954-738

Taiwan

Mitsuboshi Overseas Headquarters

Private Ltd. Taiwan Branch ●

Rm.106, 10F.-3, No.51,Hengyang Rd.
Zhongzheng District,Taipei city 100, R.O.C.
TEL +886-2-8979-8280

United Arab Emirates

Mitsuboshi Overseas Headquarters Private Ltd. Dubai Representative Office ●

Dubai Airport Free Zone, Building 4EB (East Side)
Unit No. 4B 145, Dubai 371104, United Arab Emirates
TEL +971-4-204-5104

Vietnam

Mitsuboshi Belting Vietnam Co., Ltd. ●

Room No.1511, 15th Floor, ICON4 Tower,
No.243A De La Thanh St., Dong Da Dist, Hanoi
TEL +84-24-3760-6625
E-mail: vietnamsales@mitsuboshi.com

USA

MBL (USA) CORPORATION ●

601 Dayton Road, Ottawa, Illinois 61350
TEL: +1-815-434-1282
E-mail: mblusa.sales@mitsuboshi.com
Web: www.mblusa.com

Chicago Sales & Engineering Office ●

1600 Golf Road, Suite 1251
Rolling Meadows, Illinois 60008

France

Mitsuboshi Belting Europe GmbH France Branch ●

55 Avenue de Colmar 92500 Rueil-Malmaison
TEL +33-7-49-98-99-58

Germany

Mitsuboshi Belting Europe GmbH ●

Hansemannstrasse 63, 41468 Neuss
TEL +49-2131-740940
E-mail: Info_de@mitsuboshi.com
Web: www.mitsuboshi.de

- Headquarter Japan
- Production Site
- Sales Office

MITSUBOSHI BELTING EUROPE GmbH

Hansemannstr. 63, 41468 Neuss, Germany
+49-2131-740940 • Info_de@mitsuboshi.com

www.mitsuboshi.de

